



**PRO  
BASS<sup>®</sup>**



# BLUETOOTH SPEAKERS

PORTABLE POWERED SYSTEM  
PORTABLE BATTERY LOUDSPEAKER



# ELEVATE115

## PORTABLE POWERED SPEAKER

# 800W

## RMS POWER

ENJOY YOUR  
MUSIC!



### SPECIFICATIONS

- 15" active speaker box
- Max Power: 2000W
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response : 60Hz-35KHz
- Impedance : 4Ω
- Amplifier : Class-AB
- Mic in : XLR & 1/4" jack
- Line in : XLR & RCA
- Line out: XLR & 1/4" Jack
- Remote Control
- Voltage : 110V/220V Switchable

REMOTE CONTROL  
INCLUDED



 **Bluetooth®**

PORTABLE



WOOFER

15"

CHANNELS

3

# POWERSTAGE215

## POWERED PORTABLE PA SYSTEM

# 1300W

## RMS POWER



**MICROPHONE  
MIC CABLE &  
STAND INCLUDED**

**REINFORCED HANDLES**



**POWERED  
OUTPUT**

### SPECIFICATIONS

- 15" Active speaker box + 15" Pasive speaker box
- Max Power: 3500w
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response : 55Hz-35KHz
- Sensitivity : 94dB
- Impedance : 8
- Amplifier : Class-AB
- Mic in : XLR & 1/4 jack
- Line in : XLR & RCA
- Line out : XLR & 1/4 jack
- Speakon output to drive passive speaker box
- Voltage: 110V/220V switchable

**INCLUDED: MICROPHONE / 2 SPEAKER STANDS / MIC CABLE / SPEAKER CABLE**

 **Bluetooth®**

**WOOFER  
15"**




# UNDERGROUND 15

## PORTABLE BATTERY LOUDSPEAKER

# 800W

## RMS POWER



THERE IS  
**NO LIMIT!**  
BATTERY POWERED



HANDLES



WHEELS



### SPECIFICATIONS

- 15" active speaker box
- Max Power: 1600W
- Bluetooth®
- Woofer : 15"
- Tweeter : 1" - Titanium
- Frequency Response : 60Hz-25KHz
- Impedance : 4
- Amplifier : Class-D
- Mic in : 1/4" jack
- Guitar in : 1/4" jack
- Line in : RCA & 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 4.5A 12V
- Remote Control

WIRELESS  
MICROPHONE  
INCLUDED



 **Bluetooth®**

PORTABLE



WOOFER

15"

CLASS

D

# ELEVATE LP

## PORTABLE POWERED SPEAKER

 Bluetooth®

# 800W

## RMS POWER



**MICROPHONE  
MIC CABLE &  
STAND INCLUDED**



**LCD DISPLAY**




**REINFORCED HANDLES**



### SPECIFICATIONS

- 15" active speaker box
- Max Power: 2000W
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response: 60Hz-20KHz
- Impedance: 4Ω
- Amplifier: Class-D
- Mic in: 1/4" jack
- Guitar in: 1/4" jack
- Line in: RCA & 1/8" Jack
- 2-Band EQ: Treble, Bass
- Remote Control
- Voltage: 110-220V ~ 60/50Hz



**REMOTE CONTROL  
INCLUDED**

**PORTABLE**



**CLASS**

**D**

**WOOFER**

**15"**

**CHANNELS**

**3**



# GALAXY115

## PORTABLE POWERED SPEAKER

# 800W


## RMS POWER



## WIRELESS AUDIO!



**REINFORCED HANDLES**



### SPECIFICATIONS

- 15" active speaker box
- Bluetooth®
- Woofer : 15"
- Tweeter: 1" - Titanium
- Frequency Response: 60Hz-20KHz
- Impedance: 4Ω
- Amplifier: Class-D
- Mic in: 1/4" jack
- Guitar in: 1/4" jack
- Line in: RCA & 1/8" Jack
- 2-Band EQ: Treble, Bass
- Voltage: 110-220V ~ 60/50Hz



# Bluetooth®

**PORTABLE**



**CHANNELS**

**3**

**WOOFER**

**15"**

**CLASS**

**D**

# POWERBASS215

## 2-WAY POWERED LOUDSPEAKER

# 1300W


## RMS POWER



## ENJOY YOUR MUSIC!



LCD DISPLAY



REINFORCED HANDLES

### SPECIFICATIONS

- 2-way powered loudspeaker
- Max Power: 4700W
- Bluetooth®
- Woofer : 2x15"
- Tweeter: 1" - Titanium
- Frequency Response : 60Hz-35KHz
- Impedance : 4Ω
- Amplifier : Class-AB
- Mic in : XLR & 1/4" jack
- Line in : XLR & RCA
- Line out: XLR & 1/4" Jack
- Remote Control
- Voltage : 110V/220V Switchable



REMOTE CONTROL  
INCLUDED

EXTRABASS | WOOFER | CHANNELS  
 | 2X 15" | 3

 Bluetooth®



# SMASH

PORTABLE POWERED SPEAKER

# 60W


RMS POWER

⚡  **THERE IS NO LIMIT!**  
BATTERY POWERED



REINFORCED HANDLES

 **TRUE WIRELESS STEREO**



## SPECIFICATIONS

- Rechargeable battery
- LED lights
- Wireless Music Player
- Woofer 2x6.5"
- Led screen
- Includes microphone + cable
- Microphone input
- Echo FX
- AUX Line input (3.5mm)
- Compact system for easy and comfortable transport

**MICROPHONE AND CABLE INCLUDED**



 **Bluetooth®**

PORTABLE



MIC INPUT



WOOFER

2X **6.5"**

MIC ECHO

**FX**

# WAVE8

## PORTABLE AUDIO SYSTEM



ENJOY YOUR  
**MUSIC!**  
WITH WOOFER 8"



TRUE  
**WIRELESS**  
STEREO




THERE IS  
**NO LIMIT!**  
BATTERY POWERED



 **Bluetooth®**

### SPECIFICATIONS ▾

- Portable audio system
- RMS Power 250W
- It works with rechargeable battery
- Woofer 8"
- LED screen
- Includes microphone
- Microphone input
- AUX Line input (3.5mm)



AUX LINE



WOOFER

**8"**

MICROPHONE  
**INCLUDED**





# WAVE12

## PORTABLE AUDIO SYSTEM



ENJOY YOUR  
**MUSIC!**  
WITH WOOFER 12"



TRUE  
WIRELESS  
STEREO




THERE IS  
**NO LIMIT!**  
BATTERY POWERED



WHEELS

### SPECIFICATIONS ▾

- Portable audio system
- Includes microphone
- RMS Power 400W
- Microphone input
- It works with rechargeable battery
- AUX Line input (3.5mm)
- Woofer 12"
- Compact system for easy and comfortable transport
- LED screen



 **Bluetooth®**

**MICROPHONE  
INCLUDED**

AUX LINE



WOOFER

**12"**

REC FUNCTION



# WAVE15

## PORTABLE AUDIO SYSTEM



ENJOY YOUR  
**MUSIC!**

WITH WOOFER 15"



TRUE  
WIRELESS  
STEREO



THERE IS  
**NO LIMIT!**


BATTERY POWERED



WHEELS

### SPECIFICATIONS ▾

- Portable audio system
- Includes microphone
- RMS Power 700W
- Microphone input
- It works with rechargeable battery
- AUX Line input (3.5mm)
- Woofer 15"
- Compact system for easy and comfortable transport
- LED screen



 **Bluetooth®**

**MICROPHONE  
INCLUDED**



AUX LINE



WOOFER

**15"**

REC FUNCTION





# WAVE208

## PORTABLE AUDIO SYSTEM



ENJOY YOUR  
**MUSIC!**

WITH 2X8" WOOFER



TRUE  
WIRELESS  
STEREO



THERE IS  
**NO LIMIT!**

BATTERY POWERED



WHEELS

MULTIPLE  
FRONT  
LED

 **Bluetooth®**

WIRELESS MICROPHONE  
& REMOTE CONTROL  
**INCLUDED**



PORTABLE



WOOFER

**2X8"**

REC FUNCTION



### SPECIFICATIONS ▾

- Woofer: 2x8"
- RMS Power 80W
- Auditorhythmic light effects
- Lithium battery
- Bluetooth®
- REC Function
- MIC & Guitar Input
- Wireless microphone included
- Remote control included
- Aux Input

# STREET12

## PORTABLE AUDIO SYSTEM

# 400W

## RMS POWER

 **THERE IS NO LIMIT!**  
BATTERY POWERED




 **TRUE WIRELESS STEREO**



### SPECIFICATIONS

- 12" active speaker box
- Bluetooth®
- Woofer : 12"
- Tweeter : 1"
- Freq Response : 65Hz-20KHz
- Impedance : 4Ω
- LED light on front woofer
- Mic in : 1/4" jack
- Line in : 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 3000mAh 7.4V
- Remote Control



 **Bluetooth®**

**MICROPHONE INCLUDED**

**PORTABLE**



**WOOFER**

**12**

**REC FUNCTION**





# STREET15

## PORTABLE AUDIO SYSTEM

# 500W

## RMS POWER


 **THERE IS NO LIMIT!**  
BATTERY POWERED

**HANDLES**

 **TRUE WIRELESS STEREO**

### SPECIFICATIONS

- 15" active speaker box
- Bluetooth®
- Woofer : 15"
- Tweeter : 1"
- Freq Response : 65Hz-20KHz
- Impedance : 4Ω
- LED light on front woofer
- Mic in : 1/4" jack
- Line in : 1/8" Jack
- 2-Band EQ : Treble ,Bass
- Battery : 3000mAh 7.4V
- Remote Control



 **Bluetooth®**

**MICROPHONE INCLUDED**

**PORTABLE**



**WOOFER**

**15**

**REC FUNCTION**





# MIXING CONSOLE

MIXING CONSOLE  
INTERFACE AUDIO MIXING



# PL804

## PROFESSIONAL AUDIO MIXING CONSOLE

### ULTRA-COMPACT HIGH QUALITY MIXER RUGGED CONSTRUCTION

ULTRA-COMPACT, HIGH-QUALITY MIXER

8-INPUTS

XLR MIC CONNETORS

+48 PHANTOM POWER

STEREO CHANNELS

3-BAND EQ PER CHANNEL

FX/AUX SEND

RUGGED CONSTRUCTION



# 8 INPUT CHANNEL



CTRL-ROOM  
OUTPUT  
FX/AUX SEND

### SPECIFICATIONS

- 8 inputs
- 2 XLR microphone inputs
- +48 phantom power
- 2 stereo channel inputs
- 1 stereo aux return
- 3-band equalizer per channel
- 2-Track RCA assignable input CTRL-ROOM/MAIN
- FX/AUX post-fader send
- TRS stereo main output
- TRS stereo Control Room output
- TRS headphones output
- 2-Track RCA output
- 4-led vumeter

XLR MIC  
CONNECTORS



PHANTOM  
POWER

+48

STEREO  
CHANNELS



3-BAND EQ  
PER CHANNEL



# PL804 USB

## PROFESSIONAL AUDIO MIXING CONSOLE

**ULTRA-COMPACT  
HIGH QUALITY MIXER  
RUGGED CONSTRUCTION**

ULTRA-COMPACT, HIGH-QUALITY MIXER

8-INPUTS

XLR MIC CONNETORS

+48 PHANTOM POWER

STEREO CHANNELS

3-BAND EQ PER CHANNEL

FX/AUX SEND

RUGGED CONSTRUCTION



# 8 INPUT CHANNEL



**CTRL-ROOM  
OUTPUT  
FX/AUX SEND**

### SPECIFICATIONS

- 8 inputs
- 2 XLR microphone inputs
- +48 phantom power
- 2 stereo channel inputs
- 1 stereo aux return
- 3-band equalizer per channel
- 2-Track RCA assignable input CTRL-ROOM/MAIN
- FX/AUX post-fader send
- TRS stereo main output
- TRS stereo Control Room output
- TRS headphones output
- 2-Track RCA output
- 4-led vumeter



**USB  
PORT**



**MP3  
PLAYER**

**XLR MIC  
CONNECTORS**



**PHANTOM  
POWER**

**+48**

**STEREO  
CHANNELS**



**3-BAND EQ  
PER CHANNEL**





# STUDIO LINK 6

## PROFESSIONAL AUDIO INTERFACE MIXING

# 6 INPUT CHANNEL

ULTRA-COMPACT  
HIGH QUALITY MIXER  
RUGGED CONSTRUCTION



USB AUDIO  
INTERFACE



LCD DISPLAY

MODE/BT

### SPECIFICATIONS

- Professional Compact Mixer
- 6 input channels
- USB Port
- MP3 Player
- 2 XLR/TRS combo inputs
- +48V phantom power
- 1 stereo input channel
- 2-band equalizer per channel
- USB 2-in/2-out
- 16 Digital Effects
- TRS stereo main output
- RCA stereo input
- Headphones output
- 2-Track RCA output
- 4-Led vumete



LCD  
DISPLAY

LCD

PHANTOM  
POWER

+48

DIGITAL  
FX

16

2-BAND  
EQ

# STUDIO LINK 8


## PROFESSIONAL AUDIO INTERFACE MIXING

# 8 INPUT CHANNEL

ULTRA-COMPACT  
HIGH QUALITY MIXER  
RUGGED CONSTRUCTION



USB AUDIO  
INTERFACE



### SPECIFICATIONS

- Professional Compact Mixer
- 6 input channels
- USB Port
- MP3 Player
- 2 XLR/TRS combo inputs
- +48V phantom power
- 1 stereo input channel
- 2-band equalizer per channel
- USB 2-in/2-out
- 16 Digital Effects
- TRS stereo main output
- RCA stereo input
- Headphones output
- 2-Track RCA output
- 4-Led vumete



LCD  
DISPLAY

LCD

PHANTOM  
POWER

+48

DIGITAL  
FX

16

2-BAND  
EQ





# PM1224BT

## PROFESSIONAL AUDIO MIXING CONSOLE

# 12 INPUT CHANNEL

ULTRA  
SLIM,



AUXILIARY FX SEND

### SPECIFICATIONS

- Ultra-slim mixer
- Built in MP3 player
- USB/Bluetooth channel
- Delay FX
- 6 microphone XLR channels with pre-amplifiers and Phantom Power (+48V)
- Stereo channel
- Insert in/out for external equipment
- 3-band equalizer per channel
- Peak led indicator in all channels
- Auxiliary pre-fader monitor sending / effects post-fader
- Comfortable faders for a balanced mix
- Output to monitor through earphones

 **Bluetooth®**

 **USB DIGITAL  
MEDIA PLAYER**

**XLR MIC  
CONNECTORS**



**PHANTOM  
POWER**

**+48**

**STEREO  
CHANNELS**



**3-BAND EQ  
PER CHANNEL**



# PM1624BT

## PROFESSIONAL AUDIO MIXING CONSOLE

# 16 INPUT CHANNEL



**MP3 DIGITAL MEDIA PLAYER**

- Quick access buttons  
Play/Pause - Prev - Next - Menu
- Extended screen. More info
- Bluetooth wireless connection
- Audio formats: WAV/WMA/MP3

**ULTRA SLIM,**

**AUXILIARY FX SEND**

### SPECIFICATIONS

- Ultra-slim mixer
- Built in MP3 player
- USB/Bluetooth channel
- Delay FX
- 10 microphone XLR channels with pre-amplifiers and Phantom Power (+48V)
- Stereo channel
- Insert in/out for external equipment
- 3-band equalizer per channel
- Peak led indicator in all channels
- Auxiliary pre-fader monitor sending / effects post-fader
- Comfortable faders for a balanced mix
- Output to monitor through earphones

**Bluetooth®**

**USB DIGITAL MEDIA PLAYER**

**XLR MIC CONNECTORS**



**PHANTOM POWER**

**+48**

**STEREO CHANNELS**



**3-BAND EQ PER CHANNEL**







# PROFESSIONAL MICROPHONE

PROFESSIONAL MICROPHONE  
WIRELESS MICROPHONE

# UF112

## PROFESSIONAL MICROPHONE

# ULTRAHIGH

## FREQUENCY

SIMULTANEOUS USE

QUICK  
SETUP!

RUGGED CONSTRUCTION



### SPECIFICATIONS

- Frequency range: UHF 470~558MHz (depends on the region)
- Frequency stability:  $\pm 0.005\%$
- Modulation mode: FM
- Max modulation frequency:  $\pm 40\text{KHZ}$
- Frequency response: 100HZ~10KHZ
- S/N: 90dB
- Effective working distance: about 80m (open field)
- T.H.D:  $\leq 5\%$
- Operation temperature:  $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$

RECEIVER

- Receive mode: Quartz-crystal control locking frequency
- Sensitivity: 12dbu (S/N 20dB)
- Audio output level: 0~400mV

TRANSMITTER

- RF output power:  $\leq 10\text{mW}$
- Directivity: Dynamic uni-directional
- Battery: AA1.5x2



CONTINUOUS  
USE

10<sup>HS</sup>

BALANCED  
XLR OUTPUTS

HIGH POWER  
TRANSMISSION

OPEN  
FIELD

80<sup>M</sup>



# VF212

## PROFESSIONAL MICROPHONE

# VERY HIGH

FREQUENCY ▾ **SIMULTANEOUS USE**

**QUICK SETUP!**  
RUGGED CONSTRUCTION

**ULTRA SLIM.**

**2 MIC CHANNELS**



### SPECIFICATIONS ▾

- Frequency range: VHF 174~240MHz (depends on the region)
- Frequency stability:  $\pm 0.005\%$
- Modulation mode: FM
- Max modulation frequency:  $\pm 40\text{KHZ}$
- Frequency response: 100HZ~10KHZ
- S/N: 90dB
- Effective working distance: about 262ft (open field)
- T.H.D:  $\leq 5\%$
- Operation temperature: 0°C ~50°C

RECEIVER

- Receive mode: Quartz-crystal control locking frequency
- Sensitivity: 12dbu (S/N 20dB)
- Audio output level: 0~300mV

TRANSMITTER

- RF output power:  $\leq 10\text{mW}$
- Directivity: Dynamic uni-directional
- Battery: AA1.5x2

**CONTINUOUS USE**  
**8HS**

**SUPERIOR QUALITY AUDIO**

**OPEN FIELD**  
**80M**

# PROMIC500

PROFESSIONAL MICROPHONE

# CARDIOID

## POLAR PATTERN



PODCAST

10FT (3m) XLR TO  
TS 1/4" (6.5mm)

### SPECIFICATIONS

- Polar Pattern: Cardioid
- Frequency reponse: 50Hz-15000Hz
- Output Impedance: 600Ω
- Sensitivity: -75dB±3dB
- Cable: 10ft / XLR to TS (1/4")






**DISTRIBUTED BY**

- Argentina: Importa, distribuye y garantiza Someco Electronics S.A. CUIT: 30-70217915-3  
Reconquista 336 - Piso 6 OF-65 - (C1003ABH) - CABA - República Argentina Tel.: (54-11) 4655-3333
- Brasil: Importado e distribuido por SOMECO Ind. Com. Import. Export. Ltda. CNPJ: 01.872.488/0001-00 Origem China. Validade: Indeterminada.
- Chile: Importa, distribuye y garantiza Electronica Megatel SA (Someco Andina), Porvenir 140, Santiago Centro - Chile. [contacto@somecoandina.cl](mailto:contacto@somecoandina.cl)
- United States: Imported, distributed and guaranteed by Someco America Corp. 7630 NW 25th St #1, Miami, FL 33122, USA

**PRO  
BASS**®



**PRO  
BASS®**